Imperial Productions® IPMED147



Productions and Distribution. we berialproduction.com

Dimensions Diameter 60" (152.4cm)

Projection 2" (5cm)

Hole 4" (10cm)

Fits Canopy to 12-7/8" (32.7cm)

Available Materials

ArchPolymer_{TM} an artificial wood primed white

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster_{TM}

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.





Chandelier
Canopy sits on
Medallion
Surface
does not go
Through Hole

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure

Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







^{*} Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure





Specify any
Sherwin Williams
Ben Moore
Paint # & Finish



METALLICS



Offer Accent Paints for the DIY

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Mayan Gold

Imperial Productions®

Bronze

1-800-399-7585

Rich Gold

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved

Silver

Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPMED147

| Name | | | Imperial Productions® |
|----------------------------|------------------------|--------------------------------|---------------------------|
| Contact: | | | |
| Phone # | Email | l: | |
| | | 71D/I | |
| MATERIAL SE | | | PC |
| | A synthetic Plaster, W | | |
| GRG-NeoPlaster # of Units | | er, Class A fire rated | |
| Flexible ResinM # of Units | | olymer, Class A Fire Rated, Pr | rimed for Vaults & Curves |
| VALUE ADDEI |) SERVICES | | |
| Hole Size | # of | f Units | |
| Split in Half # | of Units | | |
| VALUE ADDEI | | | |
| Factory Paint C | olor Code | Finish | |
| Metal Coated: T | ype: | | |

^{*} Possible Limitations due to Quantity Requested and/or Application

