Imperial Productions® Victorian Style IPMED174



Dimensions

Diameter 34-1/2" (87.63cm)
Projection 3-3/8" (8.5cm)
Hole 4" (10.16cm)
Hole Depth 3-3/8" (8.5cm)
Fits Canopy to 4-3/16" (10.6cm)

Materials

ArchPolymer_{TM}

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster_{TM}

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use



- * All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure
- * Chandelier when shown is not included



Name	Imperial Productions
Contact:	
Phone #	
Email:	March Constant of the Constant
Address	
Z	IP/PC
MATERIAL SELECTION	
Hardwoods: Maple / Red Oak / Alder / Cherry	Class B fire rated (Interior)
# of Units Wood Species	
ArchPolymerTM A synthetic Plaster, White Primed Ready to Pai	nt (Interior/Exterior)
# of Units for Residential	in (miorion Eniorio)
# of FireRated Units for Commercial	
GRG-NeoPlasterTM A new age plaster, Class A fire rated (Intelligent of Units	erior)
ResinMold® A Synaptic polymer for Curves & Arches, Class A # of Units	fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code Finish	
Metal Coated: Type:	_

^{*} Possible Limitations due to Quantity Requested and/or Application



Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







^{*} Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure

