

Hole 71cm 3-3/4 9.5cm Fits Canopy to 6" (15.2cm)



Dimensions

Diameter 28" (71.12cm) Projection 1-1/8" (2.85cm) Hole 3-3/4" (9.5cm) Fits Canopy to 6" (15.24cm)

Available Materials

ArchPolymerTM

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster_{TM}

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use

* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure

Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







^{*} Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure





Specify any
Sherwin Williams
Ben Moore
Paint # & Finish



METALLICS



Offer Accent Paints for the DIY

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Mayan Gold

Imperial Productions®

Bronze

1-800-399-7585

Rich Gold

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved

Silver

Name	TO VOVENCY CHEST
Contact:	Imperial Productions ®
Phone #	
Email:	THE TRANSPORT OF THE PARTY OF T
Address	
ZIP	/PC
MATERIAL SELECTION	
Hardwoods: Maple / Red Oak / Alder / Cherry	
# of Units Wood Species _	
ArchPolymerTM A synthetic Plaster, White Primed Ready to Paint	(Interior/Exterior)
# of Units for Residential	,
# of FireRated Units for Commercial	
GRG-NeoPlasterTM A new age plaster, Class A fire rated (Interior # of Units	or)
ResinMold® A Synaptic polymer for Curves & Arches, Class A fire See Next Page	e rated
VALUE ADDED FINISHES Factory Paint Color Code Finish	
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application

