



Imperial Productions® IPNP1070 & IPNP1070H

Size 37-1/4" x 26" x 1-1/2"
94.6cm x 66cm x 4cm

Dimensions

Diameter 18" (45.7cm)
Projection 1-1/4" (3.17cm)
Hole Size 4" (10cm)
Fits Canopy to 6" (15.2cm)



Materials

ArchPolymer™


an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

NeoPlaster™

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use



* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

MAR-23



Real Metal Coating for Medallions on ArchPolymer™ GRG-NeoPlaster™ & Hardwoods



Architectural Bronze

Leather Silver

Antique Bronze



Leather - Nickel

Polished Copper



Leather - Bronze

Oxidized Copper



Gun Metal

- 1) Dark Satin
- 2) Silver Oxide
- 3) Dark Polished
- 4) Silver Polished

Antique Brass

Polished Gold

Polished Brass

Polished Nickel

Aged Vermillion

Metal Combo

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved



Custom Request (Download & Fill-in)

email to sales@imperialproductions.com

IPNP1070H

Name _____

Contact: _____

Phone # _____

Email: _____

Address _____

ZIP/PC _____



MATERIAL SELECTION

Hardwoods: Maple / Red Oak / Alder / Cherry Class B fire rated (Interior)

of Units _____ Wood Species _____

ArchPolymer™ A synthetic Plaster, White Primed Ready to Paint (Interior/Exterior)

of Units _____ for Residential

of FireRated Units _____ for Commercial

GRG-NeoPlaster™ A new age plaster, Class A fire rated (Interior)

of Units _____

ResinMold® A Synaptic polymer for Curves & Arches, Class A fire rated

of Units _____

SPECIFY HOLE SIZE _____

VALUE ADDED FINISHES

Factory Paint Color Code _____ Finish _____

Metal Coated: Type: _____

* Possible Limitations due to Quantity Requested and/or Application



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved