Imperial Productions®
IPMED503

Dimensions
Diameter 28" (71cm)
Projection 1-7/8" (4.7cm)
Hole Size 3-3/4" (9.5cm)
Fits Canopy to
      5-1/2" (13.9cm)

Materials

ArchPolymerTM
an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

NeoPlasterTM
Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®
A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use

ImperialProductions®

IP Imperial Productions®

*Light Fixture Not Included

Outer Recess 7-1/2"

Inner Recess 5-3/4"
Flat Area

Step 6-7/8"

Hole 3-3/4"

Outer Ring 10-1/2"

Diameter 28" IPMED503

Inner Area 22-3/4"

* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure

Real Metal Coating for Medallions
## on ArchPolymer™ GRG-NeoPlaster™ & Hardwoods

Architectural Bronze

Leather Silver

Antique Bronze

Leather - Nickel

Polished Copper

Leather - Bronze

Oxidized Copper

Gun Metal
1) Dark Satin
2) Silver Oxide
3) Dark Polished
4) Silver Polished

Antique Brass

Polished Gold

Polished Brass

Polished Nickel

Aged Vermillion

Metal Combo

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure

Factory Painting for Medallions
on ArchPolymer™ GRG-NeoPlaster™ & Hardwoods

COLOR MATCH

Specify any
Sherwin Williams
Ben Moore
Paint # & Finish

METALLICS

Offer Accent
Paints for the
DIY

Brass	Aztec Gold	Copper	Interference
Mayan Gold	Bronze	Silver	Rich Gold

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure

Name _____

Contact: _____

Phone # _____   Email: _____

Address _____

_____ZIP/PC _____

MATERIAL SELECTION

ArchPolymerTM A synthetic Plaster, White Primed Ready to Paint

\# of Units _____ for Residential

\# of FireRated Units _____   for Commercial

GRG-NeoPlasterTM   A new age plaster, Class A fire rated

\# of Units _____

Flexible ResinMold®   A synaptic polymer, Class A Fire Rated, Primed for Vaults & Curves

\# of Units _____

VALUE ADDED SERVICES

Hole Size_____   # of Units _____

Split in Half   # of Units _____

VALUE ADDED FINISHES

Factory Paint Color Code_____ Finish _____

Metal Coated: Type: _____

* Possible Limitations due to Quantity Requested and/or Application