

Dimensions

Diameter 9-11/16" (24.6cm) Projection 1" (2.5cm)

Diameter 9-11/16" (24.6cm)

<----->



Materials

ArchPolymertm

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster_{TM}

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use

Use as a Patera a disk that is placed on a wall, door or ceiling


* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure



Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







^{*} Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure





Specify any
Sherwin Williams
Ben Moore
Paint # & Finish



METALLICS



Offer Accent Paints for the DIY

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Mayan Gold

Imperial Productions®

Bronze

1-800-399-7585

Rich Gold

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved

Silver

Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPNP1015

Name				
Contact:			ImperialPro	ductions ®
Phone #	Emai	il:		
Address				
			_ZIP/PC	
MATERIAL SEL	<u>ECTION</u>			
ArchPolymertm A	synthetic Plaster, V	White Primed Ready to	Paint	
# of Units	f	for Residential		
# of FireRated Un	nits f	for Commercial		
GRG-NeoPlaster # of Units		ster, Class A fire rated		
Flexible ResinMo # of Units		polymer, Class A Fire	Rated, Primed for Vaults & Curv	ves
<u>VALUE ADDED</u>	<u>SERVICES</u>			
Hole Size	# o	of Units		
Split in Half #	of Units			
VALUE ADDED	<u>FINISHES</u>			
Factory Paint Co	lor Code	Finis	sh	
Metal Coated: Ty	pe:			

^{*} Possible Limitations due to Quantity Requested and/or Application

