

Dimensions

Diameter 21" (53.5cm) Projection 1-1/2" (3.8cm)

Diameter 21" (53.5cm)

<---->



Materials

ArchPolymertm

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster_{TM}

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use





* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure



Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







^{*} Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure





Specify any
Sherwin Williams
Ben Moore
Paint # & Finish



METALLICS



Offer Accent Paints for the DIY

* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Mayan Gold

Imperial Productions®

Bronze

1-800-399-7585

Rich Gold

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved

Silver

Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPNP1019

Name		
		ImperialProductions
Phone #	Email:	
		ZIP/PC
MATERIAL SE	<u>LECTION</u>	
ArchPolymerтм	A synthetic Plaster, White Primed Ready	y to Paint
	for Residentia	
	Jnits for Commerc	
# of Units Flexible ResinM # of Units	Iold® A synaptic polymer, Class A Fi	
<u>VALUE ADDEI</u>	<u>O SERVICES</u>	
Hole Size	# of Units	
Split in Half #	of Units	
VALUE ADDEI		
Factory Paint C	olor Code Fi	nish
Metal Coated: T	ype:	

^{*} Possible Limitations due to Quantity Requested and/or Application

