

Dimensions
Size 24" x 20-1/2"
(60.9 x 52cm)
Projection 1" (2.54cm)



#### Materials

### ArchPolymerTM

an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

#### GRG-NeoPlaster<sub>TM</sub>

Much stronger than tradiitonal plaster Class A fire rated product. Screw & glue into place. Priming by others. Interior use.

#### ResinMold®

A Flexible synaptic polymer for vaulted or curveed ceilings Interior & Exterior Use



- \* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure
- \* Light Fixtures not Included



# Real Metal Coating for Medallions on ArchPolymerтм GRG-NeoPlasterтм & Hardwoods Leather Silver Architectural Bronze Leather - Nickel Antique Bronze Polished Copper Leather - Bronze Gun Metal 1) Dark Satin 2) Silver Oxide 3) Dark Polished Oxidized Copper 4) Silver Polished







<sup>\*</sup> Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure





Specify any
Sherwin Williams
Ben Moore
Paint # & Finish



## **METALLICS**



Offer Accent Paints for the DIY

\* Real Metal is a natural product (not a paint) there will be variations Final products will vary in color/shading from this brochure



Mayan Gold

Imperial Productions®

Bronze

1-800-399-7585

Rich Gold

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 ImperialProductions All Rights Reserved

Silver

| Name                                     |                                |                               |
|--|--------------------------------|-------------------------------|
| Contact:                                 |                                | Imperial Productions ®        |
| Phone #                                  |                                |                               |
| Email:                                   |                                |                               |
| Address                                  |                                |                               |
|  | ZIF                            | P/PC                          |
| MATERIAL SELECTION                       |                                |                               |
| Hardwoods: Maple / Red Oak               | x / Alder / Cherry             | Class B fire rated (Interior) |
| # of Units                               | Wood Species _                 |                               |
| ArchPolymerTM A synthetic Plaster,       | White Primed Ready to Paint    | (Interior/Exterior)           |
| # of Units                               |                                |                               |
| # of FireRated Units                     | for Commercial                 |                               |
| GRG-NeoPlastertm A new age pl # of Units |                                | or)                           |
| ResinMold® A Synaptic polymer for        | r Curves & Arches, Class A fir | re rated                      |
| C M D                                    |                                |                               |
| VALUE ADDED FINISHES                     |                                |                               |
| Factory Paint Color Code                 | Finish _                       |                               |
| Metal Coated: Type:                      |                                |                               |

<sup>\*</sup> Possible Limitations due to Quantity Requested and/or Application

